

**FORM-II
PART-A**

NOTIFICATION OF THE SOCIAL IMPACT ASSESSMENT (SIA)

Section 4(1) A.P. Rule 6(2)

Rc.No. 251/2016/G1-5798(VPM)

Dt. 01-4-2016

Where as it appears to the Government of Andhra Pradesh that the land / lands specified in the schedule below and situated in the VENKATAPALEM village THULLURU Mandal GUNTUR District is / are needed for a public purpose to wit, for **CAPITAL CITY DEVELOPMENT PROJECT** and as it has become necessary to commence consultation with local bodies / land owners notice to that effect is hereby given to all to whom it may concern in accordance with the provisions of sub section – 1 of section 4 of the RFCT LA R&R Act 2013.

Now therefore in exercise of the powers conferred by sub section-1 of section-4 of the said Act, the District Collector / appropriate Government hereby authorizes the Special Deputy Collector, Unit No.23, Village VENKATAPALEM, his agency, staff and workmen to exercise the powers conferred under section 4, 5, 6 of the said Act, to conduct Social Impact Assessment.

- (1) Name of the project developer : ANDHRA PRADESH CAPITALREGION DEVEOPMENT AUTHORITY
- (2) Description of project : CAPITALCITY DEVELOPMENT PROJECT
- (3) SIA objects : 1. Bonafides of public purpose
2. Requirement of minimum lands to the Project
3. To identify alternate land for acquisition
4. To assess measures to be taken to safe guard Food Security
5. Study of Social Impact of the Project
6. To make provision for R & R to the affected families by conducting Socio Economic Survey

-2-

- (4) Key activities : 1. Consultation
2. Survey
3. Social Impact Assessment Report
4. Preparation of Social Impact Management Plan
5. Public hearing
6. Publication of SIA study Report / Social Impact Management Plan

(5) Statement of affect of coercion / threat :

Any attempt at coercion or threat during the period of conduct of SIA render the exercise null and void.

(6) Contact information

	StateSIA Unit/CRR	Dist.Collector	Other authorized officers
Phone No	040-23180123 Fax - 23180135	0863-2234200 0863-2225907	7093893397
Mail / web site	enquiry@eptri.com www.eptri.com	www.guntur.nic.in collector_gntr@ap.gov.in	crdalsp.23@gmail.com
Postal address	EPTRI, Sy.No 91/4 Gachibowli, Hyderabad - 500032	Collector's office Guntur	CRDA office Unit - 23 Venkatapalem(v), Thullur (M), Guntur(Dt).

SCHEDULE

LPS Unit No. 23 Villlage : VENKATAPALEM Mandal: THULLUR District: Guntur

Survey No.	Sub Division No.	Total Extent as per RSR Ac.Cts.	Extent covered by SIA Ac.Cts.	Classification Dry / Jareeb / Semi Urban	Remarks
15	A	0.08	0.080	Jareebu	G+5 Building
15	B	5.7	1.610	Jareebu	G+5 Building
15	C	0.12	0.120	Jareebu	G+5 Building
15	D	2.1	0.190	Jareebu	G+5 Building

16	A	4.67	1.040	Jareebu	G+5 Building
17	1	1.19	1.190	Jareebu	G+5 Building
17	2	0.93	0.930	Jareebu	G+5 Building
18	2	2.55	0.360	Jareebu	
18	1C	8.7	0.560	Jareebu	
18	2	2.55	0.460	Jareebu	
18	1	8.7	1.190	Jareebu	
18	1C	8.7	0.560	Jareebu	
18	1	8.7	4.150	Jareebu	G+5 Building
19		1.42	1.420	Jareebu	G+5 Building
20	A	6.88	1.430	Jareebu	G+5 Building
21	A	1.22	1.220	Jareebu	G+5 Building
21	B	1.17	1.170	Jareebu	G+5 Building
21	C	1.26	1.260	Jareebu	G+5 Building
23	2	3.08	2.900	Jareebu	
31		2.44	1.235	Jareebu	
34		3.27	0.430	Jareebu	
35		4.25	1.000	Jareebu	
37	2	4.42	0.500	Jareebu	
37	2	4.42	0.500	Jareebu	
37	2	4.42	1.400	Jareebu
40	1	1.42	0.055	Jareebu	
40		2.37	0.520	Jareebu

41	A1	1.12	0.015	Jareebu	
41	1	2.47	0.215	Jareebu
50	B	1.27	1.270	Jareebu	
50	A	1.25	0.625	Jareebu	
50	A	1.25	0.625	Jareebu	
53		2.8	2.800	Jareebu	
59	A	0.62	0.620	Jareebu	
59	A	1.76	0.880	Jareebu	
60	1	7.51	0.760	Jareebu	
60	1	7.51	1.140	Jareebu	
60	1	7.51	1.200	Jareebu	
60	3	7.51	0.785	Jareebu	
60	1	7.51	1.123	Jareebu	
60	1	7.51	1.123	Jareebu	
63		0.58	0.290	Jareebu	
64	B	1.75	0.580	Jareebu	
74	2	0.29	0.290	Jareebu	
78	A	2.77	0.21250	Jareebu	
78	A	2.77	0.21250	Jareebu	
78	A	2.77	0.21250	Jareebu	
78	A	2.77	0.21250	Jareebu	
78	A	2.77	0.21250	Jareebu	
78	B	2.77	0.18600	Jareebu	

78	B	2.77	0.18600	Jareebu	
78	B	2.77	0.18600	Jareebu	
78	B	2.77	0.18600	Jareebu	
78	B	2.77	0.18600	Jareebu	
79		5.2	0.492	Jareebu	
79		5.2	0.4920	Jareebu	
79		5.2	0.4920	Jareebu	
79		5.2	0.4920	Jareebu	
79		5.2	0.4920	Jareebu	
95	2A	0.41	0.082	Jareebu	
95	2A	0.41	0.082	Jareebu	
95	2A	0.41	0.082	Jareebu	
95	2A	0.41	0.082	Jareebu	
95	2A	0.41	0.082	Jareebu
96	1	2.15	0.370	Jareebu	
96	1	2.15	0.370	Jareebu	
96	1	2.15	0.370	Jareebu	
96	1	2.15	0.370	Jareebu	
96	1	2.15	0.370	Jareebu	
98	1A1	5.16	0.890	Jareebu
98	1A1	28.28	0.260	Jareebu
99	A1	5.08	2.540	Jareebu	
103	C	1.39	0.880	Jareebu	

103	A	4.97	3.190	Jareebu	
103	B	2.97	0.500	Jareebu	
103	B	2.97	0.500	Jareebu	
103	B	2.97	0.490	Jareebu	
103	A	4.97	0.080	Jareebu	
105		2	0.970	Jareebu	
105		1.13	0.230	Jareebu	
109	A	3.51	0.120	Jareebu	
109	A	3.51	0.125	Jareebu	
109	A	3.51	0.335	Jareebu	
109	B1	1	1.000	Jareebu	
110		4.64	0.330	Jareebu	
110		4.64	0.200	Jareebu	
113		3.7	0.430	Jareebu	
113		3.7	0.190	Jareebu	
113		3.7	0.950	Jareebu	
113		3.7	0.050	Jareebu
113		3.7	0.070	Jareebu	
113		3.7	0.070	Jareebu	
113		3.7	0.070	Jareebu	
113		3.7	0.070	Jareebu	
113		3.7	0.150	Jareebu	
113		3.7	0.070	Jareebu	

114		2.48	0.500	Jareebu	
114	1	2.48	0.240	Jareebu	
114	2	0.6	0.240	Jareebu	
114	1	2.48	0.500	Jareebu	
114	3	0.44	0.210	Jareebu
115	1	0.74	0.52	Jareebu	
115	1	0.62	0.020	Jareebu
115	1	0.62	0.100	Jareebu
115	1	0.62	0.100	Jareebu
115	2	0.75	0.095	Jareebu	
115	2	0.75	0.095	Jareebu	
117	3	1.05	0.530	Jareebu	
117	3	1.05	0.530	Jareebu	
118	1	0.69	0.690	Jareebu
118	2A	0.05	0.050	Jareebu
118	2B	0.06	0.060	Jareebu
118	2C	0.05	0.050	Jareebu
118	4	0.87	0.870	Jareebu
121	1A	1.61	0.200	Jareebu
123	3	0.75	0.250	Jareebu	
123	3	0.75	0.250	Jareebu	
123	2	0.72	0.240	Jareebu	
125	1	0.66	0.660	Jareebu

125	2	0.42	0.320	Jareebu
125	3	0.42	0.290	Jareebu
125	4B	0.69	0.69	Jareebu	
133		0.99	0.32	Jareebu	
140	2	2.2	0.175	Jareebu
140	2	2.2	0.175	Jareebu	
142	1	0.94	0.940	Jareebu	
142	2	0.84	0.420	Jareebu
142	3	0.47	0.240	Jareebu	
145	1	1.700	0.530	jareebu	
150		3.06	0.110	Jareebu	
151		0.18	0.080	Jareebu	
154	1	6.24	0.210	Jareebu
155	1B	0.62	0.620	Jareebu	
159	2	0.75	0.750	Jareebu	
160	2	0.58	0.580	Jareebu	
162	B	0.68	0.680	Jareebu	
162	B	2.33	0.730	Jareebu
163		3.05	3.050	Jareebu	
164	A	0.32	0.320	Jareebu	
164	B	2.77	0.930	Jareebu	
165		1.21	0.610	Jareebu	
167	D	8.52	2.500	Jareebu	

167	D	8.52	6.020	Jareebu	
168	3	0.51	0.510	Jareebu	
168	1	0.7	0.700	Jareebu	
168	2	1	1.000	Jareebu	
170	A	2.26	1.130	Jareebu	
171	A	3.17	0.790	Jareebu	
171	A	3.17	0.690	Jareebu	
175		2.55	0.950	Jareebu	
177		2.82	1.410	Jareebu	
179	A	4.27	1.540	Jareebu	
179	B	2.08	0.160	Jareebu	
179	B	2.08	0.850	Jareebu	
179	C	2.35	1.120	Jareebu
179	D	2.10	0.650	Jareebu	
179	D	2.10	0.150	Jareebu
180	7	0.7	0.070	Jareebu	
180	2	5.11	2.270	Jareebu	School Building
182		2.9	2.900	Jareebu	
185	A	5.87	0.040	Jareebu
185	B	5.8	0.200	Jareebu	
189	1	3.81	0.750	Jareebu	
192	D	1.61	1.610	Jareebu	
192	C	1.6	1.600	Jareebu	

196		6.96	0.580	Jareebu	
196		6.96	0.200	Jareebu	
196		6.96	0.580	Jareebu	
196		6.96	0.600	Jareebu
199	1	3.52	0.500	Jareebu	
199	A	3.52	0.880	Jareebu	
199	C	3.52	1.180	Jareebu
202		8	1.000	Jareebu	
202		8	1.010	Jareebu	
207		0.94	0.500	Jareebu	
207		0.94	0.440	Jareebu	
209		12.34	4.920	Jareebu	
217	C	2.96	0.410	Jareebu	
217	A	4.6	1.110	Jareebu	
217	C	2.96	0.735	Jareebu	
218		10.51	0.130	Jareebu	
222	A2	5.91	1.910	Jareebu
223		1.36	0.350	Jareebu
224	A	0.44	0.440	Jareebu	
224	B	0.5	0.500	Jareebu	
224	B	1	0.950	Jareebu	
225	A	3.15	1.400	Jareebu	
225	B	0.83	0.830	Jareebu	

225		3.32	0.830	Jareebu	
225	B	3.32	0.830	Jareebu	
225	A	3.15	0.400	Jareebu	
226		2.17	1.830	Jareebu	
226		2.17	0.200	Jareebu	
228	3	5.48	0.480	Jareebu	
228	3	5.48	1.020	Jareebu	
231		1.46	0.750	Jareebu	
232	A	0.4	0.400	Jareebu	
243	C	3.12	0.020	Dry
244		11.55	0.400	Dry
245	B	2.00	0.250	Dry	
245	B	2.00	0.250	Dry	
245	C	2.00	0.660	Dry	
245	C	2.00	0.310	Dry	
245	C	2.00	0.700	Dry	
248	1	12.73	0.750	Dry	
249	1	8.79	1.500	Dry	
253	1B	2.04	0.260	Dry	
253	1B	2.04	0.390	Dry	
253	1B	2.04	0.520	Dry	
254	B	6.42	1.600	Dry
255	B	5.28	1.520	Dry	

255	A	0.5	0.500	Dry	
255	A	6.27	1.000	Dry	
259		1.1	1.100	Dry	
261	A	1.46	0.730	Dry	
261	B	2.92	0.300	Dry	
262		4.76	1.000	Dry	
262		4.76	0.910	Dry	
263		5.23	0.590	Dry	
264	2	5.85	0.970	Dry	
264	1C	0.16	0.040	Dry	
264	1B	3.03	0.550	Dry	
264	1B	3.03	0.550	Dry	
264	2	5.85	0.970	Dry	
264	3C	2.17	2.170	Dry	
264	1B	3.03	0.270	Dry	
265	9	0.34	0.340	Dry	
265	1	19.14	0.360	Dry	
265	1	19.14	0.360	Dry	
265	A	4.96	0.240	Dry	
265	A	4.96	0.240	Dry	
265	2C	7.47	0.570	Dry	
265	2C	0.37	0.370	Dry	
265	1	19.14	0.560	Dry	

265	14B	4.99	0.710	Dry	
265	1	19.14	2.890	Dry
265	1A	4.79	0.785	Dry
265	1B	4.99	0.460	Dry
265	2A	2.31	0.010	Dry
265	A	4.96	1.110	Dry
265	B	6.09	1.490	Dry
265	13	1.31	1.310	Dry	
266	4	6.54	6.540	Dry	
266	1	5.88	5.880	Dry	
266	13-A	0.62	0.620	Dry	
266	11	4.58	4.590	Dry	
266	10-B	4.25	0.790	Dry	
266	8A	9.92	0.500	Dry	
266	9A	2	2.000	Dry	
266	9	1.2	0.745	Dry	
266	13	0.84	0.840	Dry	D' Form Patta
266	2	10.32	8.140	Dry
266	3	7.95	2.550	Dry
266	5	0.38	0.380	Dry	
266	6D	2.48	1.000	Dry
266	7	1.92	1.920	Dry	
266	8	9.92	5.465	Dry
267	2	3.66	2.440	Dry	

267	2	3.66	1.220	Dry	
268	5	0.51	0.490	Dry	
268	1	15.6	3.350	Dry
269	3-19	0.49	0.490	Dry	
269	18	0.49	0.400	Dry	
269	5	1.7	1.700	Dry	
266-13	1H	0.21	0.210	Dry	
266-13	2	0.3	0.300	Dry	
272	1	1.96	1.960	Dry	
277	1	5.03	0.835	Dry
285		3.57	2.04	Dry	
285		3.57	1.53	Dry	
286		1.7	1.700	Dry	
287		4.68	0.950	Dry	
288		4.28	0.6100	Dry	
			235.339		

V. Mys. h 29/3/2016
Signature of the Special Deputy Collector

Copy to LA R&R Officer / Tahsildar.

Sd/- KANTILAL DANDE

DISTRICT COLLECTOR /
Rep. of Appropriate Government.

// T. C. F. B. O. //

Deputy Collector 1/10/16
CRDA (Admn.)
Collector's Office
Guntur

ఆంధ్రప్రదేశ్ ప్రభుత్వం